

Bibliographie

1. Wolff, D., H.J. Staehle, and C. Frese, *Komplexe Zahnaufbauten als Alternative zur Überkronung*. ZWR, 2015. **124**(1): p. 30-34.
2. Hickel, R., et al., *Direct composite restorations: extended use in anterior and posterior situations*. Clinical Oral Investigations, 2004. **8**(2): p. 43-44.
3. Frese, C., D. Wolff, and H. Staehle, *Proximal box elevation with resin composite and the dogma of biological width: clinical r2-technique and critical review*. Oper Dent, 2014. **39**(1): p. 22-31.
4. Frese, C., D. Wolff, and H.J. Staehle, *Die R2-Technik: zweiphasige direkte Kompositrestauration*. Restaurative Versorgung extrem tiefer Kavitäten. Zahnärztliche Mitteilungen, 2014. **104**(5): p. 50-59.
5. Frese, C., D. Wolff, and H.J. Staehle, *Komplexe Seitenzahnrestaurationen in der R1- und R2-Technik. Schwierige Ausgangssituationen und deren Lösung bei direkter Versorgung mit Kompositmaterialien*. DFZ Der Freie Zahnarzt, 2014. **58**(12): p. 72-81.
6. Frese, C., et al., *Recontouring teeth and closing diastemas with direct composite buildups: a 5-year follow-up*. J Dent, 2013. **41**(11): p. 979-85.
7. Roggendorf, M.J., et al., *Effect of proximal box elevation with resin composite on marginal quality of resin composite inlays in vitro*. J Dent, 2012. **40**(12): p. 1068-73.
8. Manhart, J. and R. Hickel, *"Bulk Fill"-Komposite. Neuartige Einsatztechnik von Kompositen im Seitenzahnbereich*. Swiss Dental Journal, 2014. **124**(1): p. 19-28.
9. Lynch, C.D., et al., *Guidance on posterior resin composites: Academy of Operative Dentistry - European Section*. J Dent, 2014. **42**(4): p. 377-83.
10. Staehle, H.J., *Minimally invasive restorative treatment*. J Adhes Dent, 1999. **1**(3): p. 267-84.
11. Heintze, S.D. and V. Rousson, *Clinical effectiveness of direct class II restorations - a meta-analysis*. J Adhes Dent, 2012. **14**(5): p. 407-31.
12. Staehle, H.J., C. Frese, and D. Wolff, *Neue konservierend-restaurative Optionen in der Gerontostomatologie*. Zahnmedizin up2date, 2017. **11**(2): p. 127-151.
13. Frese, C. and H.J. Staehle, *Wie invasiv ist minimalinvasiv? Management von Einzelzahnlücken aus konservierender Sicht*. DFZ Der Freie Zahnarzt, 2018. **62**(3): p. 70-77.
14. Demarco, F.F., et al., *Longevity of posterior composite restorations: not only a matter of materials*. Dent Mater, 2012. **28**(1): p. 87-101.
15. Scholtanus, J.D. and M. Ozcan, *Clinical longevity of extensive direct composite restorations in amalgam replacement: up to 3.5 years follow-up*. J Dent, 2014. **42**(11): p. 1404-10.
16. Deliperi, S. and D.N. Bardwell, *Direct cuspal-coverage posterior resin composite restorations: A case report*. Oper Dent, 2006. **31**(1): p. 143-50.
17. Laegreid, T., et al., *Clinical decision making on extensive molar restorations*. Oper Dent, 2014. **39**(6): p. E231-40.
18. Plotino, G., et al., *Fracture resistance of endodontically treated molars restored with extensive composite resin restorations*. J Prosthet Dent, 2008. **99**(3): p. 225-32.
19. Denehy, G. and D. Cobb, *Impression matrix technique for cusp replacement using direct composite resin*. J Esthet Restor Dent, 2004. **16**(4): p. 227-233.
20. Brackett, W.W., et al., *Effect of restoration size on the clinical performance of posterior "packable" resin composites over 18 months*. Oper Dent, 2007. **32**(3): p. 212-6.
21. Fennis, W.M., et al., *Fatigue resistance of teeth restored with cuspal-coverage composite restorations*. Int J Prosthodont, 2004. **17**(3): p. 313-7.
22. Segura, A. and R. Riggins, *Fracture resistance of four different restorations for cuspal replacement*. J Oral Rehabil, 1999. **26**(12): p. 928-31.
23. Macpherson, L.C. and B.G. Smith, *Replacement of missing cusps: an in vitro study*. J Dent, 1994. **22**(2): p. 118-20.
24. Mondelli, R.F., et al., *Conservative approach to restore the first molar with extensive destruction: A 30-month follow-up*. Quintessence Int, 2013. **44**(6): p. 385-91.
25. Kois, D.E., et al., *Evaluation of fracture resistance and failure risks of posterior partial coverage restorations*. J Esthet Restor Dent, 2013. **25**(2): p. 110-22.

26. Kantardzic, I., et al., *Influence of cavity design preparation on stress values in maxillary premolar: a finite element analysis*. Croat Med J, 2012. **53**(6): p. 568-76.
27. Xie, K.X., et al., *Fracture resistance of root filled premolar teeth restored with direct composite resin with or without cusp coverage*. Int Endod J, 2012. **45**(6): p. 524-9.
28. ElAyouti, A., et al., *Influence of cusp coverage on the fracture resistance of premolars with endodontic access cavities*. Int Endod J, 2011. **44**(6): p. 543-9.
29. Kuijs, R.H., et al., *A randomized clinical trial of cusp-replacing resin composite restorations: efficiency and short-term effectiveness*. Int J Prosthodont, 2006. **19**(4): p. 349-54.
30. Federlin, M., et al., *Kompositrestaurationen im Seitenzahnbereich. S1-Handlungsempfehlung (Langversion). AWMF-Registernummer: 083-028; Stand: Oktober 2016; gültig bis: Oktober 2021*. Deutsche Zahnärztliche Zeitschrift, 2017. **72**(1): p. 75-82.
31. Laegreid, T., N.R. Gjerdet, and A.K. Johansson, *Extensive composite molar restorations: 3 years clinical evaluation*. Acta Odontol Scand, 2012. **70**(4): p. 344-52.
32. Deliperi, S. and D.N. Bardwell, *Clinical evaluation of direct cuspal coverage with posterior composite resin restorations*. J Esthet Restor Dent, 2006. **18**(5): p. 256-265.
33. Opdam, N.J., et al., *Seven-year clinical evaluation of painful cracked teeth restored with a direct composite restoration*. J Endod, 2008. **34**(7): p. 808-11.
34. Fennis, W.M., et al., *Randomized control trial of composite cuspal restorations: five-year results*. J Dent Res, 2014. **93**(1): p. 36-41.
35. Ilie, N. and B. Stawarczyk, *Bulk-Fill-Komposite: neue Entwicklungen oder doch herkömmliche Komposite?* ZMK, 2014. **30**(3): p. 90-97.
36. Tauböck, T.T., *Bulk-Fill-Komposite. Wird die Füllungstherapie einfacher, schneller und erfolgreicher?* teamwork J Cont Dent Educ, 2013. **16**(4): p. 318-323.
37. Ferracane, J.L. and E.H. Greener, *The effect of resin formulation on the degree of conversion and mechanical properties of dental restorative resins*. J Biomed Mater Res, 1986. **20**(1): p. 121-31.
38. Caughman, W.F., et al., *Correlation of cytotoxicity, filler loading and curing time of dental composites*. Biomaterials, 1991. **12**(8): p. 737-40.
39. Margeas, R., *New Bulk-Fill Material Simplifies Restorations to One Step*. Inside Dentistry, 2014. **10**(10): p. 86-90.
40. Manhart, J., *Muss es immer Kaviar sein? – Die Frage nach dem Aufwand für Komposite im Seitenzahnbereich*. ZMK, 2011. **27**(Sonderausgabe März 2011): p. 10-15.
41. Margeas, R.C., *Bulk-Fill Materials: Simplify Restorations, Reduce Chairtime*. Compend Contin Educ Dent, 2015. **36**(1): p. e1-e4.
42. Burtscher, P., *Von geschichteten Inkrementen zur Vier-Millimeter-Bulk-Fill-Technik – Anforderungen an Komposit und Lichthärtung*. DZW Die Zahnarzt Woche, 2011. **Ausgabe 39/2011**(39): p. 6-8.
43. Czasch, P. and N. Ilie, *In vitro comparison of mechanical properties and degree of cure of bulk fill composites*. Clin Oral Investig, 2013. **17**(1): p. 227-235.
44. Finan, L., et al., *The influence of irradiation potential on the degree of conversion and mechanical properties of two bulk-fill flowable RBC base materials*. Dent Mater, 2013. **29**(8): p. 906-12.
45. Manhart, J., *Neues Konzept zum Ersatz von Dentin in der kompositbasierten Seitenzahnversorgung*. ZWR Das Deutsche Zahnärzteblatt, 2010. **119**(3): p. 118-125.
46. Fleming, G.J., et al., *The potential of a resin-composite to be cured to a 4mm depth*. Dental Materials, 2008. **24**(4): p. 522-529.
47. Ilie, N., A. Kessler, and J. Durner, *Influence of various irradiation processes on the mechanical properties and polymerisation kinetics of bulk-fill resin based composites*. J Dent, 2013. **41**(8): p. 695-702.
48. Ferracane, J., G. Alex, and R. Margeas, *Question: Are Bulk-Fill Composites a Good Idea?* Inside Dentistry, 2014. **10**(10): p. 42-44.
49. Hickel, R., *Neueste Komposite - viele Behauptungen*. BZB Bayerisches Zahnärzteblatt, 2012. **49**(9): p. 50-53.
50. Ilie, N., S. Bucuta, and M. Draenert, *Bulk-fill resin-based composites: an in vitro assessment of their mechanical performance*. Oper Dent, 2013. **38**(6): p. 618-25.

51. Condon, J.R. and J.L. Ferracane, *Evaluation of composite wear with a new multi-mode oral wear simulator*. Dent Mater, 1996. **12**(4): p. 218-26.
52. Condon, J.R. and J.L. Ferracane, *In vitro wear of composite with varied cure, filler level, and filler treatment*. Journal of Dental Research, 1997. **76**(7): p. 1405-1411.
53. Poggio, C., et al., *Surface roughness of flowable resin composites eroded by acidic and alcoholic drinks*. J Conserv Dent, 2012. **15**(2): p. 137-40.
54. de Goes, M.F., M.S. Shinohara, and M.S. Freitas, *Performance of a new one-step multi-mode adhesive on etched vs non-etched enamel on bond strength and interfacial morphology*. J Adhes Dent, 2014. **16**(3): p. 243-50.
55. Hanabusa, M., et al., *Bonding effectiveness of a new 'multi-mode' adhesive to enamel and dentine*. J Dent, 2012. **40**(6): p. 475-84.
56. McLean, D.E., et al., *Enamel Bond Strength of New Universal Adhesive Bonding Agents*. Oper Dent, 2015. **40**(4): p. 410-7.
57. Takamizawa, T., et al., *Influence of different etching modes on bond strength and fatigue strength to dentin using universal adhesive systems*. Dent Mater, 2016. **32**(2): p. e9-21.
58. Wagner, A., et al., *Bonding performance of universal adhesives in different etching modes*. J Dent, 2014. **42**(7): p. 800-7.
59. Lenzi, T.L., et al., *Bonding Performance of a Multimode Adhesive to Artificially-induced Caries-affected Primary Dentin*. J Adhes Dent, 2015. **17**(2): p. 125-31.
60. Loguercio, A.D., et al., *A new universal simplified adhesive: 36-Month randomized double-blind clinical trial*. J Dent, 2015. **43**(9): p. 1083-92.
61. Munoz, M.A., et al., *In vitro longevity of bonding properties of universal adhesives to dentin*. Oper Dent, 2015. **40**(3): p. 282-92.
62. Da Rosa Rodolpho, P.A., et al., *22-Year clinical evaluation of the performance of two posterior composites with different filler characteristics*. Dent Mater, 2011. **27**(10): p. 955-63.
63. van de Sande, F.H., et al., *18-year survival of posterior composite resin restorations with and without glass ionomer cement as base*. Dent Mater, 2015. **31**(6): p. 669-75.
64. Manhart, J., et al., *Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition*. Oper Dent, 2004. **29**(5): p. 481-508.
65. Opdam, N.J., et al., *Longevity of posterior composite restorations: a systematic review and meta-analysis*. J Dent Res, 2014. **93**(10): p. 943-9.
66. Opdam, N.J., et al., *12-year survival of composite vs. amalgam restorations*. J Dent Res, 2010. **89**(10): p. 1063-7.
67. Pallesen, U. and J.W. van Dijken, *A randomized controlled 30 years follow up of three conventional resin composites in Class II restorations*. Dent Mater, 2015. **31**(10): p. 1232-44.
68. Pallesen, U. and J.W. van Dijken, *A randomized controlled 27 years follow up of three resin composites in Class II restorations*. J Dent, 2015. **43**(12): p. 1547-58.
69. Manhart, J., H.Y. Chen, and R. Hickel, *Three-year results of a randomized controlled clinical trial of the posterior composite QuiXfil in class I and II cavities*. Clin Oral Investig, 2009. **13**(3): p. 301-7.
70. Burke, F.J., et al., *The current status of materials for posterior composite restorations: the advent of low shrink*. Dent Update, 2009. **36**(7): p. 401-402.